Physica C 215 (1993) 459–462
North-Holland

PHYSICA C

Author Index to Volume 215

Abbas, F., L.E. Davis and J.C. Gallop, Field solution for a thin-film superconducting parallel-plate transmission line **215**, 132
Abrashev, M.V., V.N. Hadjimitov, E. Dinolova and L.N. Bozukov, Micro-Raman, SEM and X-ray characterization of $(Pb_{0.6}Cu_{0.5})LaSrCa_{n-1}Cu_nO_x$ $(n=1, 2)$ ceramics **215**, 421
Adrian, H., see P. Wagner **215**, 123
Akimitsu, J., see S. Katano **215**, 92
Aleksashin, B.A., see A.M. Bogdanovich **215**, 253
Alexandrov, A.S., A.M. Bratkovsky, N.F. Mott and E.K.H. Salje, Near-infrared absorption of $YBa_2Cu_3O_{7-\delta}$. Evidence for Bose–Einstein condensation of small bipolarons **215**, 359
Andrikidis, C., see J.A. Xia **215**, 152
Andrzejewski, B., see J. Stankowski **215**, 167
Antipov, E.V., S.M. Loureiro, C. Chaillout, J.J. Capponi, P. Bordet, J.L. Tholence, S.N. Putilin and M. Marezio, The synthesis and characterization of the $HgBa_2Ca_2Cu_3O_{8+\delta}$ and $HgBa_2Ca_3Cu_4O_{10+\delta}$ phases **215**, 1
Antokhina, V.U., see P.J. King **215**, 67
Aomine, T., see T. Fukami **215**, 375
Awaji, S., see Y. Muraoka **215**, 402

Baggio-Saitovitch, E., R.B. Scorzelli, I. Souza Azevedo, F.J. Litterst and H. Micklitz, Oxygen re-arrangement and desorption in ^{57}Fe:Y–Ba–Cu–O **215**, 77
Balachandran, U., see P. Krishnaraj **215**, 305
Baltrusch, R., see H.H. Otto **215**, 205
Bogdanovich, A.M., Yu.I. Zhdanov, K.N. Mikhalyov, V.V. Lavrentjev, B.A. Aleksashin, S.V. Verkovskij, N. Winzek, P. Gergen, J. Gross, M. Mehring, A.Yu. Yakubovskii, L.D. Shustov and A.B. Myasoedov, Spin susceptibility and doping dependence in $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}Y_xCu_2O_{7-\delta}$ around the metal–insulator transition. $^{63,65}Cu$, ^{207}Pb and ^{205}Tl NMR and spin–lattice relaxation **215**, 253
Bordet, P., see E.V. Antipov **215**, 1
Börner, H., see M. Lorenz **215**, 445
Bozukov, L.N., see M.V. Abrashev **215**, 421
Brabers, V.A.M., see X.F. Zhang **215**, 39
Brandt, H.-J., see H.H. Otto **215**, 205
Bratkovsky, A.M., see A.S. Alexandrov **215**, 359
Brisson, C., see J. Hejtmánek **215**, 411
Bruynseraede, Y., see P. Wagner **215**, 123
Bryksin, V.V. and S.N. Dorogovtsev, Space-time image of the magnetic flux penetrating into type-II superconductors in an applied oscillating magnetic field **215**, 173
Bush, A.A., see Yu.F. Shepelev **215**, 371

Caleca, M.A., see K.D. Carlson **215**, 195
Cantoni, M., A. Schilling, H.-U. Nissen and H.R. Ott, Characterisation of superconducting Hg–Ba–Ca–Cu-oxides. Structural and physical aspects **215**, 11
Capponi, J.J., see E.V. Antipov **215**, 1
Carlson, K.D., A.M. Kini, J.A. Schlueter, U. Geiser, R.A. Klemm, J.M. Williams, J.D. Dudek, M.A. Caleca, K.R. Lykke, H.H. Wang, J.R. Ferraro and P. Stout, In search of an isotope effect on T_c in κ-$(ET)_2X$ superconductors with ^{34}S isotopic substitution in the eight sulfur atoms of bis(ethylenedithio)tetrathiafulvalene (ET) **215**, 195
Cassart, M., see J. Hejtmánek **215**, 411
Chaillout, C., see E.V. Antipov **215**, 1
Chen, T.-M., J.S. Ho, R.S. Liu and H.S. Koo, Synthesis of a 90 K $Y_2Ba_4Cu_7O_{15-x}$ superconductor under ambient pressure by triethylammoniumoxalate co-precipitation **215**, 435
Chevalier, B., see J. Hejtmánek **215**, 411
Chow, J.C.L., see Z.L. Du **215**, 319
Crisan, M. and L. Tătaru, Effect of superconducting fluctuations on the spin relaxation of a two-dimensional superconductor **215**, 34
Czyżak, B., see J. Stankowski **215**, 167

Damodaran, A.D., see J. Koshy **215**, 209
Davis, L.E., see F. Abbas **215**, 132
Díaz, A., A. Pomar, G. Domarco, C. Torrón, J. Maza and F. Vidal, Scaling of critical currents versus temperature in granular $Y_1Ba_2Cu_3O_{7-\delta}$ superconductors at zero applied magnetic field **215**, 105
Dinolova, E., see M.V. Abrashev **215**, 421
Domański, T. and K.I. Wysokiński, On electromagnetic properties of superconductors in the "correlated hopping" model **215**, 97
Domarco, G., see A. Díaz **215**, 105
Dordor, P., see J. Hejtmánek **215**, 411
Dorogovtsev, S.N., see V.V. Bryksin **215**, 173
Dou, S.X., see J.A. Xia **215**, 152
Dou, S.X., see Y.C. Guo **215**, 291
Du, Z.L., P.C.W. Fung, J.C.L. Chow, T.F. Yu, Z.H. He, Y. Lu, Y.Y. Luo and J.X. Zhang, Microdefects and macroscopic characterization of MTG $YBa_2Cu_{3-x}Sn_xO_{7-y}$ samples using $Y_2Sn_2O_7$ **215**, 319
Dudek, J.D., see K.D. Carlson **215**, 195

Ehmann, A., J. Glaser, S. Kemmler-Sack, S. Lösch, T. Rentschler, W. Wischert, P. Zoller, P. Kessler and H. Lichte, Superconductivity and substitution of Bi-1212 **215**, 83
Elschner, A., see P. Wagner **215**, 123

Emmen, J.H.P.M., see X.F. Zhang **215**, 39
Enomoto, Y., K. Katsumi and S. Maekawa, Impurity effects on the transport properties of two-dimensional magnetic vortex systems **215**, 51
Eror, N.G., see P. Krishnaraj **215**, 305
Etourneau, J., see J. Hejtmánek **215**, 411

Ferraro, J.R., see K.D. Carlson **215**, 195
Fischer, D.A., A.R. Moodenbaugh and Y. Xu, Oxygen K near-edge X-ray absorption spectroscopy of $La_{2-x}M_xCuO_4$ (M = Ca, Sr and Ba). x-Dependence of hole state density **215**, 279
Fossheim, K., see M.G. Karkut **215**, 19
Frey, U., see P. Wagner **215**, 123
Fukami, T., D.H. Lee, C. Panagopoulos, T. Nishizaki, F. Ichikawa, Y. Horie and T. Aomine, Flux creep and magnetic field direction dependence of critical current density in $Bi_2Sr_{1.7}La_{0.3}CuO_{6+y}$ films prepared by laser ablation **215**, 375
Funahashi, S., see S. Katano **215**, 92
Funahashi, S., see Y. Miyazaki **215**, 159
Fung, P.C.W., see Z.L. Du **215**, 319

Gaines, J.R., see Y. Song **215**, 313
Gallop, J.C., see F. Abbas **215**, 132
Ge, S.L., see X.F. Zhang **215**, 39
Geiser, U., see K.D. Carlson **215**, 195
Genenko, Yu.A., Relaxation of magnetic vortex rings in a superconducting cylinder: some universal features **215**, 343
Gergen, P., see A.M. Bogdanovich **215**, 253
Glaser, J., see A. Ehmann **215**, 83
Gorlova, I.G., see P.J. King **215**, 67
Greaves, C., see P.R. Slater **215**, 191
Gross, J., see A.M. Bogdanovich **215**, 253
Guo, Y.C., H.K. Liu and S.X. Dou, Silver-doped $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$/Ag high-temperature superconducting composites **215**, 291

Ha, D.-H., see K. Oka **215**, 407
Hadjimitov, V.N., see M.V. Abrashev **215**, 421
Han, T.-S., see K. Oka **215**, 407
Hariharan, Y., see P. Kuppusami **215**, 213
He, Z.H., see Z.L. Du **215**, 319
Heill, L.K., see M.G. Karkut **215**, 19
Hejtmánek, J., E. Pollert, B. Chevalier, A. Tressaud, P. Dordor, C. Brisson, M. Lahaye, J. Etourneau, M. Cassart and J.P. Issi, Correlations between fluorination and transport properties in the $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ system **215**, 411
Helsley, C.E., see Y. Song **215**, 313
Heyvaert, I., see P. Wagner **215**, 123
Hilczer, W., see J. Stankowski **215**, 167
Hillmer, F., see P. Wagner **215**, 123
Hiraga, K., see Y. Miyazaki **215**, 159
Hirai, T., see Y. Miyazaki **215**, 159
Ho, J.S., see T.-M. Chen **215**, 435
Hochmuth, H., see M. Lorenz **215**, 445
Horie, Y., see T. Fukami **215**, 375

Ichikawa, F., see T. Fukami **215**, 375
Iga, F., see K. Oka **215**, 407
Issi, J.P., see J. Hejtmánek **215**, 411
Izumi, F., see A. Tokiwa-Yamamoto **215**, 243
Izumi, F., see E. Takayama-Muromachi **215**, 329

Jayavel, R., A. Thamizhavel, P. Murugakoothan, C. Subramanian and P. Ramasamy, Growth, twin and domain structure studies of superconducting $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ single crystals **215**, 429
Jhans, H., S.K. Malik and R. Vijayaraghavan, Synthesis and magnetic properties of the $R_{1+x}Sr_{2-x}Cu_{2+x}Nb_{1-x}O_{8-y}$ system **215**, 181
Ji, H.L., see Z.X. Shi **215**, 439
Jin, X., see Z.X. Shi **215**, 439

Kajitani, T., see Y. Miyazaki **215**, 159
Kamiyama, T., see E. Takayama-Muromachi **215**, 329
Kao, H.-C.I., see C.M. Wang **215**, 391
Karkut, M.G., M. Slaski, L.K. Heill, L.T. Sagdahl and K. Fossheim, The AC magnetic response of $YBa_2Cu_3O_7$ with Y_2BaCuO_5 inclusions and of single-crystal $YBa_2Cu_3O_7$. A comparative study **215**, 19
Katano, S., R.M. Nicklow, S. Funahashi, N. Môri, T. Kobayashi and J. Akimitsu, Pressure induced successive magnetic phase transitions in Pr_2CuO_{4-y} **215**, 92
Katsumi, K., see Y. Enomoto **215**, 51
Kemmler-Sack, S., see A. Ehmann **215**, 83
Kessler, P., see A. Ehmann **215**, 83
Kikuchi, M., see Y. Muraoka **215**, 402
King, P.J., A. Kirk, Yu. Latyshev, A.M. Nikitina, I.G. Gorlova, S.G. Zybtsev, V.U. Antokhina, J.S. Lees, Z. Ming and W.B. Roys, The current–voltage characteristics of single-crystal whiskers of 2:2:1:2 BiSCCO **215**, 67
Kini, A.M., see K.D. Carlson **215**, 195
Kirk, A., see P.J. King **215**, 67
Kishore, R. and P. Singh, Generalized Ginzburg–Landau theory for a spin glass superconductor **215**, 59
Kitazawa, K., see Y. Tomioka **215**, 297
Klavins, P., see T. Uchida **215**, 350
Klemm, R.A., see K.D. Carlson **215**, 195
Kobayashi, N., see Y. Muraoka **215**, 402
Kobayashi, T., see S. Katano **215**, 92
Koo, H.S., see T.-M. Chen **215**, 435
Koriyama, S., see C.-J. Liu **215**, 395
Koshy, J., J.K. Thomas, J. Kurian, Y.P. Yadava and A.D. Damodaran, Superconducting $YBa_2Cu_3O_{7-\delta}$ thick film ($T_{c(0)} = 92$ K) on $SmBa_2NbO_6$: a newly developed perovskite ceramic substrate **215**, 209
Kovalev, A.E., see V.M. Krasnov **215**, 265
Krasnov, V.M., A.E. Kovalev, V.A. Oboznov and V.V. Ryazanov, Anisotropy of the lower critical field in a Nb/Cu multilayer. The evidence for 3D–2D crossover **215**, 265
Krishnaraj, P., M. Lelovic, N.G. Eror and U. Balachandran,

Synthesis and microstructure of $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_x$ obtained from freeze-dried precursors **215**, 305
Kumar, D., see S. Kumar **215**, 286
Kumar, S., S.P. Pai, R. Pinto and D. Kumar, Effect of thermal cycling on normal state thermal properties of $YBa_2Cu_3O_{7-x}$ films **215**, 286
Kuppusami, P., V.S. Raghunathan, A.G. Vedheswar and Y. Hariharan, Microstructure and superconducting properties of thin films of YBCO on (100) MgO substrate grown by glow discharge deposition **215**, 213
Kurian, J., see J. Koshy **215**, 209

Lahaye, M., see J. Hejtmánek **215**, 411
Lan, M.D., see T. Uchida **215**, 350
Latyshev, Yu., see P.J. King **215**, 67
Lavrentjev, V.V., see A.M. Bogdanovich **215**, 253
Lee, D.H., see T. Fukami **215**, 375
Lees, J.S., see P.J. King **215**, 67
Lelovic, M., see P. Krishnaraj **215**, 305
Lercher, M.J. and J.M. Wheatley, Magnetic properties of single layered Cu oxides in the extended *t–J* model **215**, 145
Levin, A.A., see Yu.F. Shepelev **215**, 371
Li, Z., see Z.X. Shi **215**, 439
Lichte, H., see A. Ehmann **215**, 83
Litterst, F.J., see E. Baggio-Saitovitch **215**, 77
Liu, C.-J., S. Koriyama and H. Yamauchi, The formation of infinite-layer cuprates and correlation with temperature and partial pressure of oxygen **215**, 395
Liu, H.K., see J.A. Xia **215**, 152
Liu, H.K., see Y.C. Guo **215**, 291
Liu, R.S., see T.-M. Chen **215**, 435
Lorenz, M., H. Börner, H. Hochmuth and K. Unger, Depth profiling of Bi–Sr–Ca–Cu–O thin films by secondary neutrals mass spectrometry **215**, 445
Lösch, S., see A. Ehmann **215**, 83
Loureiro, S.M., see E.V. Antipov **215**, 1
Lu, Y., see Z.L. Du **215**, 319
Luo, Y.Y., see Z.L. Du **215**, 319
Lykke, K.R., see K.D. Carlson **215**, 195

Maekawa, S., see Y. Enomoto **215**, 51
Maekawa, S., see T. Tohyama **215**, 382
Malik, S.K., see H. Jhans **215**, 181
Marezio, M., see E.V. Antipov **215**, 1
Mary, T.A. and U.V. Varadaraju, Phase formation and superconductivity studies on the $LnBa_2Cu_{3-x}Ti_xO_{7+\delta}$ (Ln=La–Gd, *Y*) system **215**, 269
Maza, J., see A. Díaz **215**, 105
Mehring, M., see A.M. Bogdanovich **215**, 253
Micklitz, H., see E. Baggio-Saitovitch **215**, 77
Mikhalyov, K.N., see A.M. Bogdanovich **215**, 253
Ming, Z., see P.J. King **215**, 67
Misra, A., see Y. Song **215**, 313
Miyazaki, Y., H. Yamane, T. Kajitani, Y. Morii, S. Funahashi, K. Hiraga and T. Hirai, Preparation, electric conductivity and crystal structure of $(Sr_{2-x}Ba_x)CuO_{2+y}(CO_3)_z$ **215**, 159
Moodenbaugh, A.R., see D.A. Fischer **215**, 279
Môri, N., see S. Katano **215**, 92
Morii, Y., see Y. Miyazaki **215**, 159
Mosley, W.D., see T. Uchida **215**, 350
Mott, N.F., see A.S. Alexandrov **215**, 359
Munroe, P.R., see J.A. Xia **215**, 152
Muraoka, Y., M. Kikuchi, H. Nameki, S. Awaji, R. Suzuki, N. Kobayashi and Y. Syono, Effects of iodine intercalation on the superconducting properties of the $Bi_2Sr_{2-x}La_xCuO_z$ compound **215**, 402
Murugakoothan, P., see R. Jayavel **215**, 429
Myasoedov, A.B., see A.M. Bogdanovich **215**, 253

Nagata, Y., see T. Uchida **215**, 350
Naito, M., see Y. Tomioka **215**, 297
Nakamura, S., see T. Uchida **215**, 350
Nameki, H., see Y. Muraoka **215**, 402
Nicklow, R.M., see S. Katano **215**, 92
Nikitina, A.M., see P.J. King **215**, 67
Nishizaki, T., see T. Fukami **215**, 375
Nissen, H.-U., see M. Cantoni **215**, 11

Oboznov, V.A., see V.M. Krasnov **215**, 265
Oka, K., T.-S. Han, D.-H. Ha, F. Iga and H. Unoki, Crystal growth of $Bi_2Sr_2CaCu_2O_8$ by the top-seeded solution-growth method **215**, 407
Oku, T., see A. Tokiwa-Yamamoto **215**, 243
Okuda, H., see T. Tohyama **215**, 382
Ott, H.R., see M. Cantoni **215**, 11
Otto, H.H., R. Baltrusch and H.-J. Brandt, Further evidence for Tl^{3+} in Tl-based superconductors from improved bond strength parameters involving new structural data of cubic Tl_2O_3 **215**, 205

Pai, S.P., see S. Kumar **215**, 286
Panagopoulos, C., see T. Fukami **215**, 375
Pinto, R., see S. Kumar **215**, 286
Pollert, E., see J. Hejtmánek **215**, 411
Pomar, A., see A. Díaz **215**, 105
Putilin, S.N., see E.V. Antipov **215**, 1

Qui, X.G., see Z.X. Shi **215**, 439

Raghunathan, V.S., see P. Kuppusami **215**, 213
Ramasamy, P., see R. Jayavel **215**, 429
Ranno, L., see P. Wagner **215**, 123
Ren, H.T., see J.A. Xia **215**, 152
Rentschler, T., see A. Ehmann **215**, 83
Romanov, B.N., see Yu.F. Shepelev **215**, 371
Rong, X.S., see Z.X. Shi **215**, 439
Roys, W.B., see P.J. King **215**, 67
Ryazanov, V.V., see V.M. Krasnov **215**, 265

Sagdahl, L.T., see M.G. Karkut **215**, 19
Salje, E.K.H., see A.S. Alexandrov **215**, 359
Schilling, A., see M. Cantoni **215**, 11
Schlueter, J.A., see K.D. Carlson **215**, 195

Scorzelli, R.B., see E. Baggio-Saitovitch **215**, 77
Setty, A.K., Non-monotonic transition temperature variation and the enhancement of superconductivity by oxygen loss in layered high-T_c superconductors **215**, 113
Shelton, R.N., see T. Uchida **215**, 350
Shepelev, Yu.F., A.A. Levin, Yu.I. Smolin, A.A. Bush and B.N. Romanov, The crystal structure of a new 84 K superconductor, $Bi_4Sr_4CaCu_3O_{14+x}$ **215**, 371
Shi, Z.X., H.L. Ji, X. Jin, X.X. Yao, X.S. Rong, X.G. Qui and Z. Li, Scaling behavior of the flux-pinning force in YBaCuO/PrBaCuO superlattice films **215**, 439
Shustov, L.D., see A.M. Bogdanovich **215**, 253
Singh, P., see R. Kishore **215**, 59
Slaski, M., see M.G. Karkut **215**, 19
Slater, P.R. and C. Greaves, BO_3^{3-} substitutions in phases related to $YBa_2Cu_3O_7$. Superconducting properties of (Y, Ca)(Ba, Sr)$_2$Cu$_{3-z}$(BO$_3$)$_z$O$_y$ **215**, 191
Smolin, Yu.I., see Yu.F. Shepelev **215**, 371
Song, Y., C.E. Helsley, A. Misra and J.R. Gaines, Angular dependence of low-field remanent magnetization in $YBa_2Cu_3O_{7-\delta}$ **215**, 313
Souza Azevedo, I., see E. Baggio-Saitovitch **215**, 77
Stankowski, J., B. Andrzejewski, B. Czyżak and W. Hilczer, Influence of microwave power on magnetically modulated microwave absorption in a granular high-temperature superconductor **215**, 167
Steinborn, T., see P. Wagner **215**, 123
Stout, P., see K.D. Carlson **215**, 195
Subramanian, C., see R. Jayavel **215**, 429
Suzuki, N., see T. Uchida **215**, 350
Suzuki, R., see Y. Muraoka **215**, 402
Syono, Y., see A. Tokiwa-Yamamoto **215**, 243
Syono, Y., see Y. Muraoka **215**, 402

Takayama-Muromachi, E., F. Izumi and T. Kamiyama, Oxygen deficiency and structural phase transition in $(La_{1-x}Ba_x)_2CuO_4$ **215**, 329
Tătaru, L., see M. Crisan **215**, 34
Thamizhavel, A., see R. Jayavel **215**, 429
Tholence, J.L., see E.V. Antipov **215**, 1
Thomas, J.K., see J. Koshy **215**, 209
Tohyama, T., H. Okuda and S. Maekawa, Exact diagonalization study of magnetic properties at finite temperatures in the t–J model **215**, 382
Tokiwa-Yamamoto, A., F. Izumi, T. Oku and Y. Syono, Disordering of Pb and Cu arrangements in the block layers of $Pb_2Sr_2YCu_3O_{8+\delta}$ and $PbBaSrYCu_3O_{7+\delta}$ by oxygen introduction **215**, 243
Tomioka, Y., M. Naito and K. Kitazawa, The Meissner and shielding effects in niobium in relation to oxide superconductors **215**, 297
Torrón, C., see A. Díaz **215**, 105
Tressaud, A., see J. Hejtmánek **215**, 411

Uchida, T., S. Nakamura, N. Suzuki, Y. Nagata, W.D. Mosley, M.D. Lan, P. Klavins and R.N. Shelton, Effect of growth conditions on the superconductivity of $Ba_{1-x}K_xBiO_3$ crystals **215**, 350
Unger, K., see M. Lorenz **215**, 445
Unoki, H., see K. Oka **215**, 407

Van Tendeloo, G., see X.F. Zhang **215**, 39
Varadaraju, U.V., see T.A. Mary **215**, 269
Vedheswar, A.G., see P. Kuppusami **215**, 213
Verkovskij, S.V., see A.M. Bogdanovich **215**, 253
Vidal, F., see A. Díaz **215**, 105
Vijayaraghavan, R., see H. Jhans **215**, 181

Wagner, P., F. Hillmer, U. Frey, H. Adrian, T. Steinborn, L. Ranno, A. Elschner, I. Heyvaert and Y. Bruynseraede, Preparation and structural characterization of thin epitaxial $Bi_2Sr_2CaCu_2O_{8+\delta}$ films with T_c in the 90 K range **215**, 123
Wang, C.M., T.P. Wei and H.-C.I. Kao, Kinetic study of $Bi_{1.8}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ superconductor in water **215**, 391
Wang, H.H., see K.D. Carlson **215**, 195
Wei, T.P., see C.M. Wang **215**, 391
Wheatley, J.M., see M.J. Lercher **215**, 145
Williams, J.M., see K.D. Carlson **215**, 195
Winzek, N., see A.M. Bogdanovich **215**, 253
Wischert, W., see A. Ehmann **215**, 83
Wysokiński, K.I., see T. Domański **215**, 97

Xia, J.A., H.T. Ren, Y. Zhao, C. Andrikidis, P.R. Munroe, H.K. Liu and S.X. Dou, Critical current density and the irreversibility line in melt textured $YBa_2Cu_3O_y$ and $YBa_2Cu_3O_y$/Ag superconductors **215**, 152
Xu, Y., see D.A. Fischer **215**, 279

Yadava, Y.P., see J. Koshy **215**, 209
Yakubovskii, A.Yu., see A.M. Bogdanovich **215**, 253
Yamane, H., see Y. Miyazaki **215**, 159
Yamauchi, H., see C.-J. Liu **215**, 395
Yao, X.X., see Z.X. Shi **215**, 439
Yu, T.F., see Z.L. Du **215**, 319

Zhang, J.X., see Z.L. Du **215**, 319
Zhang, X.F., G. Van Tendeloo, S.L. Ge, J.H.P.M. Emmen and V.A.M. Brabers, Two-phase intergrowth in $Bi_2Sr_2Ca_{0.6}Y_{0.4}Cu_2O_y$ single crystals **215**, 39
Zhao, Y., see J.A. Xia **215**, 152
Zhdanov, Yu.I., see A.M. Bogdanovich **215**, 253
Zoller, P., see A. Ehmann **215**, 83
Zybtsev, S.G., see P.J. King **215**, 67

Physica C 215 (1993) 463
North-Holland

PHYSICA C

Analytic Subject Index to Volume 215

AC susceptibility 1, 19, 173
Anisotropic superconductor 34, 51, 313, 375
Antiferromagnetic order 92, 181, 253
Applications of high-T_c superconductors 132, 213, 291
Auger spectroscopy 411

Carbonate groups 159
Chemical coprecipitation 435
Critical current density 105, 152, 291, 375, 435
CuO planes 113

Defect structures 291, 319, 421
Domain structure 429

Electrical resistivity 67, 159, 269, 350, 402
Electron-doped superconductor 92
Electronic structure 279
Electron microscopy 1
Electron–phonon coupling 350
Energy gap 359
Exact diagonalization 382

Field-direction dependence 375
Fluctuation effects 34, 173
Flux creep 67
Flux dynamics 343
Flux lattice 439
Flux pinning 19, 51, 297, 313

Ginzburg–Landau theory 59, 113
Grain alignment 152
Grain boundaries 105, 305
Granular superconductivity 105, 167

High pressure effect 92
Hole concentration 279
HREM 11, 39, 243
Hubbard Hamiltonian 97

Impurity phases 421
Inclusions 19
Interdiffusion 445
Intramolecular phonons 195
Iodine intercalation 402
Irreversibility line 19, 152
Isotope effect 195

Langevin equation 51
Lattice parameters 11, 83, 371, 411
Lower critical field H_{c1} 265

Magnetic susceptibility 83, 145, 181, 382, 407
Magnetization 265, 313, 435, 439
Magnetoresistance 375
Meissner effect 297
Metal disordering 243
Metal–insulator transition 253, 269
Microwave absorption 132, 167
Mixed state 297
Modulated structures 439
Mössbauer spectroscopy 77
Multilayers 113, 265

Neutron diffraction 92, 159, 329
NMR 97
–in $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}Y_xCu_2O_{7-\delta}$ 253
Non-linear flux diffusion 173
Non-ohmic behaviour 51, 67
Normal-state properties 145, 286

Optical absorption 97
Optical spectroscopy 359
Organic superconductors 195
O–T transition 269
Oxygen diffusion 243
Oxygen partial pressure 395
Oxygen stoichiometry 77, 113, 329

Photopyroelectric effect 286
Pinning force 439

Raman scattering 195, 421
Reaction rate 391
Reaction with water 391
Real-space pairing 359

Secondary neutrals mass spectrometry 445
SEM 123, 213, 291, 319
Single-crystal growth 350, 407, 429
Specific heat 145
Spin correlation 382
Spin fluctuations 145
Spin glass superconductor 59
Spin-lattice relaxation time 145
Spin relaxation rate 34
Structural phase transition 329
Structure
–of $Bi_2Sr_2Ca_{0.6}Y_{0.4}Cu_2O_y$ 39
–of $Bi_4Sr_4CaCu_3O_{14+x}$ 371
–of Hg–Ba–Ca–Cu-oxides 11
–of $Pb_2Sr_2YCu_3O_{8+\delta}$ 243
–of $PbBaSrYCu_3O_{7+\delta}$ 243
–of $(Sr_{2-x}Ba_x)CuO_{2+y}(CO_3)_z$ 159
–of Tl_2O_3 205
–of $(Y,Ca)(Ba,Sr)_2Cu_{3-z}(BO_3)_zO_y$ 191
Substitution effects 77, 395
–in $(Bi,Pb,Cu)Sr_2(Y,Ca)Cu_2O_{7-z}$ 83
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ 429
–in $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ 411
–in $LnBa_2Cu_{3-x}Ti_xO_{7+\delta}$ 269
–in $(Y,Ca)(Ba,Sr)_2Cu_{3-z}(BO_3)_zO_y$ 191
–$La_{2-x\mu}{}_xCuO_4$ (μ=Ca,Sr,Ba) 279
Surface impedance 132
Synthesis
–of $(Bi,Pb,Cu)Sr_2(Y,Ca)Cu_2O_{7-z}$ 83
–of $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_x$ 305
–of $Bi_2Sr_2Ca_{0.6}Y_{0.4}Cu_2O_y$ 39
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 123
–of $R_{1+x}Sr_{2-x}Cu_{2+x}Nb_{1-x}O_{8-y}$ 181
–of $SmBa_2NbO_6$ substrate 209
–of $(Y,Ca)(Ba,Sr)_2Cu_{3-z}(BO_3)_zO_y$ 191
–of $Y_2Ba_4Cu_7O_{15-x}$ 435
–of $YBa_2Cu_{3-x}Sn_xO_{7-y}$ 319
Synthesis of infinite-layer cuprates 395

Thermal cycling 286
Thin films 209, 213, 286, 439, 445
–of $Bi_2Sr_{1.7}La_{0.3}CuO_{6+y}$ 375
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 123
t-J model 382
Tl valence 205
Tunneling 97
Twin boundaries 429
Type-II superconductors 173, 297, 343

Upper critical field H_{c2} 265, 350

Vortex rings 343

Weak links 83, 167
Whiskers
–of 2:2:1:2 BiSCCO 67

X-ray absorption 279
X-ray diffraction 1, 123, 152, 205, 209, 213, 305, 371, 402